



OZONE ENVIROTECH

AN ISO 9001 : 2015 & CE CERTIFIED COMPANY
MFRS. OF : GARBAGE SEWAGE & AUTO BODY PRODUCTS

www.ozoneenvirotech.com



GeM
Government
e Marketplace

buy our products on GEM portal



- Super Sucker Machine / dump Tanks
- Sewer Suction Cum Jetting Machine
- Nala Cleaning Machine
- Hydraulic Plat From / Sky Lift
- Refuse Collection / Compactor
- Dumper Placer
- Hook Loader / Bin Lifer
- Water Tankers
- Bins / Dustbins / Hand Cart



We have been able to established in 2011 ourselves as a distinguished manufacturer and supplier of Garbage handling product and sewage handling product, and Auto body products. The product range offered by us is manufactured using quality approved raw material, which is sourced from the trusted vendors of the market. Our wide array consists of Ghantagadi Garbage Tipper, Garbage Container, and Suction Machine / vacuum Emptier Jetting machine. Besides these, we also offer Suction Cum Jetting Machines. All these products are duly tested by the quality controllers, so that there is no compromise with the quality.

Quality Assurance



Our organization is specializes in providing only quality assured products to our valued clients. The product range offered by us are developed using quality tested raw material availed from the reputed vendors of the industry. All quality control measures are undertaken by our skilled team experts ensuring the genuine quality of the products. Furthermore, the techniques and methods, applied by us are in strict adherence with industry standards. These professionals keep the products under strict vigilance on the grounds of various parameters.

Client Satisfaction

Being a client-oriented enterprise, we strive to cater to the complete requirements of our clients by means of our dedicated and sincere efforts. All of our professionals work in perfect harmony to deliver the products within specified time frame. We offer a flawless range of product at reasonable prices as per clients budgetary requirements. This range is made as per the growing demands and needs and manufacture products as per set international quality standards. Furthermore, our ethical business practices and transparent polices have enabled us, ensuring optimum client satisfaction.

Why Us?

We are a prominent Manufacturer of Garbage, a Sewage and Play ground Equipment and trader of comprehensive range of Products. Apart from our products, some of the most important factors because of which we get goodwill in the market are as follows:

- **Timely delivery**
- **Advanced manufacturing facility**
- **Industry leading prices**
- **Wide Distribution Network**
- **After Sales Service to customer**

REFUSE COMPACTOR

Specificaation



- Refuse compactors are heavy capacity of garbage loaders in its product range which is used for storing the large amount of waste as well as compact the same in a effective manner, also use for lifting or unloading the bins directly into its rear hopper.
- They are being manufactured with high strength, reliability, superior quality, easy operation & utilization for its end use.

SUCTION CUM JETTING MACHINE

Specificaation



Jetting Tank material	: 5/6 mm Thick Mild Steel
Water Capacity	: Jetting 1000, Suction 2000 litre, capacity (depends upon the truck capacity)
Jetting Pump	: Imported Italian make.
Jetting Hose	: Polyhose or Equivalent make.
Jetting Hose Size	: 1/2", 3/4", 1", 3", 4", 5" as per the pump rating.
Pressure release Valve	: Imported Italian make.
Suction Hose	: Dutron or Equivalent make,
Suction hose size	: 3", 4", 5" as per the pump rating.
PTO	: PZB / VAS make as per the customers requirement.

SUCTION MACHINE / SEPTIC TANK CLEANING

Specificaation



Vehicle	: TATA, Eicher, Ashok Leyland .
Sludge Tank Cap.	: 2000,3000, 4000, 5000, 6000, 8000, 9000 Ltrs.
Material	: Mild Steel of 5 mm thickness
SuctionPump	: Imported Italian make
Capacity	: 156 m3/h - 6400 m3/h
Power Vacuum Pump	: Is taken from Side PTO / Split shaft PTO.
SuctionHose dia	: 3", 4", 5"
SuctionHose Length	: 15 meters
Material	: Heavy Duty PVC hose
SuctionValve	: 3", 4", 6"
Drain Valve	: 3", 4", 6" Tank
Tipping	: optional Rear
Door opening	: Manual, Hydraulic (optional)
Primary shut o ?valve	: Yes
Secondary shut o ?valve	: Yes
Pressure Relief	: Yes
Quick Coupler	: Yes
Compound gauge	: Yes
Level Gauge	: Yes

JET MACHINE

Specificaation

Water Tank Cap. :	500 to 10,000 Liters
Tank Material :	Syntex / 2 mm stainless Steel Shape:
Cyl. / Elliptical :	Imported Italian make.
Jetting Pump Cap. :	13 LPM @ 200 bar to 460 LPM @ 140 bar Power
Take Off :	Side PTO / Engine for higher capacity of the pump.
Jetting Hose :	High-Pressure hose with a cut length of 60 meters. Polyhose or equivalent make.
Washing Hose :	Imported make spray gun having a rotating nozzle which can withstand the pressure up to 100 to 200 BAR. It is very useful for cleaning surrounding of drainage, hose cleaning equipment/container cleaning and also useful for cleaning toilets/roads/street etc.



- Instrument & Controls:**
- Operating controls for jeetti hose
 - Operating controls for hose reel rotaation
 - Pressure gauge
 - Operating controls for washing line
 - Water level indicator

GARBAGE HOPPER

Specificaation

- Mounted on Equivalent Four Wheeler
- Capacity approx 1 to 1.5 ton of Garbage Hopper
- Operated Through 12V Battery Operated DC Power Pack hydraulic system
- Convenient for door to door collection



DUMPER PLACER / CONTAINER LIFTER

Specificaation

- Mounted Chassis
- Garbage Carrying Capacity 2.5 Cum to 4.5 Cum
- Easy to Carry Garbage Container
- Operated Through Hydraulic Systems



GARBAGE TIPPER ON THREE WHEELER

Specification

- Mounted on equivalent three wheeler
- Capacity approx 1.7 tons of garbage
- Operated through 12v. Battery operated power pack hydraulic system
- Convenient for door to door collection of garbage



GARBAGE TIPPER ON FOUR WHEELER

Specification

- Mounted on equivalent four wheeler
- Capacity approx 1 to 2 tons of garbage
- Dry and wet garbage separate compartment available
- Operated through 12v. Battery operated power pack hydraulic system
- Convenient for door to door collection of garbage



M.S. GARBAGE CONTAINER

Specification

Capacity

The capacity shall be 1.1 cum capacity metallic standards Bins.

Body Design

- The bins shall be provided with front striker plates and wheel bracket stiffeners to avoid damage to the body during operations.
- The Steel Skeet shall be of 1.6 mm thick
- Water drainage shall be provided at the bottom for easy cleaning and drainage
- plugs shall be provided.
- The bins shall be lifted with Lift hocks

Measurements

Overall Height	: 1250 mm
Width Length (with Lift hocks)	: 1360 mm
Side width	: 870 mm
Wheel Height	: 235 mm

Lid

- The lid skeet shall be stamped and stiffeners shall be given/or proper reinforcement.
- Side RMS shall be rigid to avoid damage during operations.
- Flat spiral springs shall be provided to the lids for easy movement



OUR PRESENCE



Design & Printed by www.spelladvt.com. +91-9891142254, 9911171758



**OZONE
ENVIROTECH**

AN ISO 9001 : 2015 & CE CERTIFIED COMPANY
MFRS. OF : GARBAGE SEWAGE & AUTO BODY PRODUCTS

Address : Jay Ganesh Samrajya H-Wing Office No. 139 & 140,
Spine Road Bhosari Pune - 39 Maharashtra India

Phone : +91-20-66141949

Mobile : +91-9922722745, 8888865781 /2/3/4

E-mail : salesozoneenvirotech@gmail.com,

ozoneenvirotech@gmail.com,

ozoneenvirotech2011@gmail.com

Website : www.ozoneenvirotech.com,

https://www.indiamart.com/ozone-envirotech/